



Doors for Residential and Industrial

AN ISO 9001 -2015 CERTIFIED COMPANY

**WITH PEVEETA,
SAFETY STANDS AT YOUR DOORSTEP**



**RESIDENTIAL
DOORS**

www.peveeta.com



THE PROMISE OF PEVEETA STEEL DOORS

COMPLETE DOOR SOLUTION



PEVEETA STEEL DOORS REQUIRE MINIMAL MAINTENANCE WHILE RETAINING THEIR STRENGTH AND FINISH



OUR STEEL DOORS ARE AN ECO-FRIENDLY CHOICE WITH SUSTAINABLE MATERIALS AND LONG LIFE



PEVEETA STEEL DOORS PROVIDE SUPERIOR FIRE RESISTANCE COMPARED TO WOODEN DOORS, ENSURING BETTER PROTECTION FOR WHAT MATTERS MOST.



BUILT TO LAST, PEVEETA STEEL DOORS ARE COMPLETELY TERMITE-PROOF FOR WORRY FREE PROTECTION



PEVEETA STEEL DOORS ARE FULLY WEATHERPROOF, BUILT TO WITHSTAND RAIN, HEAT, AND HUMIDITY WITH EASE



FRAME



PEEP HOLE



HINGES

HING JAMB



HEAD MEMBER



TOWER BOLT



LOCK SET

STRIKE JAMB

2 STEPS, 1 EXPERT



MEASUREMENTS



INSTALLATION

PEVEETA STEEL DOORS ARE EASIER TO GET, HARDER TO BEAT

No more 5-step struggles for steel doors, Peveeta Steel Doors makes it seamless

UNCOMPROMISED SECURITY WITH OUTSTANDING QUALITY



STANDARD 1-YEAR WARRANTY, UPGRADEABLE TO 5-YEAR COVERAGE


Coverage for Manufacturing Irregularities and Termite Issues

Includes Essential Fittings and Components


Color and Texture Fading

Two AMC Plans Offered:

- 2-Year Maintenance Plan
- 4-Year Extended Maintenance Plan



**SMART
SECURE
PEVEETA**






WALL OPENING SIZES


SIZE	2134	2440
1200	✓	✓
1370	✓	✓
1525	✓	✓
1830	✓	✓
2134	✓	✓
2440	✓	✓

*Above mentioned measurements are in mm
300 mm = 1 feet


*The dimensions provided refer to the wall opening required for product installation



Double Leaf with Single side glass



Single leaf with double side glass



Single leaf with single side glass

WOH - Wall Opening Height
WOW - Wall Opening Width

APPLICATIONS

- Hallways
- Living Spaces
- Office Doors
- Entry Doors

FINISHES

- Wood Finishes
- RAL Finishes




WALL OPENING SIZES


SIZE	2134	2440
1067	✓	
1200	✓	✓
1525	✓	✓
1830		✓
2130		✓

*Above mentioned measurements are in mm
300 mm = 1 feet

*The dimensions provided refer to the wall opening required for product installation



Unequal Door



Equal Door

WOH - Wall Opening Height
WOW - Wall Opening Width

APPLICATIONS

- Hallways
- Entry Doors
- Living Spaces
- Office Doors

FINISHES

- Wood Finishes
- RAL Finishes





WALL OPENING SIZES

SIZE	1950	2050	2057	2100	2134	2287	2440
760				✓	✓		
900		✓		✓			
915	✓		✓		✓	✓	✓
1000		✓		✓			
1067			✓		✓	✓	✓
1100				✓			
1200			✓		✓	✓	✓

*Above mentioned measurements are in mm
300 mm = 1 feet

*The dimensions provided refer to the wall opening required for product installation



WOH - Wall Opening Height
WOW - Wall Opening Width

APPLICATIONS

- Hallways
- Bedroom
- Living Spaces
- Entry Doors
- Office Doors
- Store Rooms

FINISHES

- Wood Finishes
- RAL Finishes




WALL OPENING SIZES

SIZE	20 60	2134	2440
914(SL)	✓		
1067(SL)		✓	✓
1200(DL)		✓	✓
1525(DL)		✓	✓
1830(DL)		✓	✓
2134(DL)			✓


SL = Single Leaf
DL = Double Leaf

*Above mentioned measurements are in mm
300 mm = 1 feet


*The dimensions provided refer to the wall opening required for product installation



Grill With Mesh



Mesh only



Grill With Glass

WOH - Wall Opening Height
WOW - Wall Opening Width

APPLICATIONS

- Hallways
- Living Spaces
- Office Doors
- Security Door
- Entry Door

FINISHES


- Wood Finishes

Classique



WALL OPENING SIZES

SIZE 2134	
900	✓
1000	✓
1050	✓



WOH - Wall Opening Height
WOW - Wall Opening Width

*Above mentioned measurements are in mm
300 mm = 1 feet

*The dimensions provided refer to the wall opening required for product installation

APPLICATIONS

- Hallways
- Entry Door
- Living Spaces
- Security Door

FINISHES


- Wood Finishes

FINISHES


WOOD FINISHES




01-02
CLASSIC WENGE




03-02
DIVINE OAK




04-01
IMPERIAL WALNUT



04-02
Lakeshore Smoke
wood




06-02
ELITE ASH



06-03
RUSSET LARISE



06-05
ELM WOOD DARK



09-02
Dark Brown
Teakwood




09-05
WHITE OAK




10-01
CLASSIC MAHANGONY
RED


RAL FINISHES




RAL 9010
PURE WHITE - (STD)




RAL 9016
TRAFFIC WHITE - (STD)




RAL 9001
CREAM - (STD)



RAL 1013
GRAY WHITE - (STD)



RAL 9002
OYSTER WHITE - (STD)



RAL 7035
LIGHT GREY - (STD)




RAL 7040
WINDOW GREY - (STD)



RAL 5023
DISTANT BLUE - (STD)



RAL 5015
SKY BLUE - (STD)




RAL 3020
TRAFFIC RED - (STD)

DOOR HARDWARE

Reliable Hardware for Uncompromising Doors



FAQs



What are the five variants of steel doors available?

PEVEETA Steel Doors are available in five variants: LUXELINE, ELEGANCE, PRIMA, VISTA, and CLASSIQUE.



How do I change the lock on my PEVEETA Steel Door?

The lock is installed by PEVEETA's trained installation team during the door installation. For any lock replacement or upgrade, it is recommended to contact an authorized PEVEETA service technician or dealer to ensure proper fitting and maintain warranty validity.



What is the right size of the wall opening to be kept to install a PEVEETA Steel Door?

The wall opening should be made according to the selected door size, based on the dimensions illustrated in the PEVEETA size chart.



Will a PEVEETA Steel Door rust?

PEVEETA Steel Doors are highly resistant to rust as long as the protective outer coating and finish remain intact. Proper maintenance and care will help preserve the door's appearance and durability for years.



How do I get the PEVEETA Steel Door installed?

PEVEETA Steel Doors are installed by our trained installation team. You can conveniently schedule the installation date and time with your nearest PEVEETA dealer or service representative.



Will the finish of a PEVEETA Steel Door peel off or get damaged?

The finish of PEVEETA Steel Doors is factory-engineered for long-lasting durability and appearance. It will not peel or get damaged under normal conditions. However, exposure to harsh chemicals or impact from heavy objects can harm the outer coating and should be avoided.



How long will it take for my PEVEETA Steel Door to be delivered?

The delivery time depends on product availability and your location. The exact schedule can be confirmed with the PEVEETA dealer at the time of purchase.



Will a PEVEETA Steel Door get dented or cracked?

PEVEETA Steel Doors are crafted from high-quality, durable steel that resists cracks unlike wooden doors, though extreme impact or harsh handling may still cause minor dents.



How should my PEVEETA Steel Door be stored before installation?

It is recommended to schedule the delivery close to the installation date to avoid any possible damage. If the door is delivered in advance, it should be kept flat on a raised, level surface in a dry and safe area, ensuring that no heavy objects are placed on or fall over the door.



Can I paint my PEVEETA Steel Door?

Painting the door is not recommended, as it may cover or damage the elegant wood finish and factory-applied coating. Using thinner, varnish, or strong chemicals can also affect the premium appearance and natural wood texture, so it's best to avoid applying any such products on the door.



Final Order Confirmation



Payment Collection



Final Delivery & Installation Plan



Complete Payment



Delivery is available after a minimum period of 60 days post-booking



Installation of Peveeta Steel Doors



Peveeta[®]
Steel Doors

Doors for Residential and Industrial
AN ISO 9001 CERTIFIED COMPANY



PEVEETA METALSMITH

 Coimbatore, Tamilnadu, India

 +91 95001 69299, +91 98431 05599

 info@peveeta.com

 www.peveeta.com

 peveeta_doors



Dealer Details

